



**Weekly Influenza Surveillance Report  
CDC Week 38 September 16th-September 22nd, 2012**

**In Brief:**

***Mortality***

Confirmed deaths from Pneumonia/Influenza Week 38: **4**

Percent of deaths due to Pneumonia/Influenza Week 38: **8.3%**

***Influenza-Like Illness Surveillance***

Sentinel Site ILI rate -Week 38 ending September 22nd: **.41%**


***Pneumonia Hospital Admissions***

Week 38 Ending September 22nd: **23**


Previous Week 37 Ending September 15th: **22**

Note: Numbers include 2 hospitals and are one week behind due to reporting methods.


***School Attendance*** Week 38 Ending September 22nd: **100%**




**Figure 1** displays the current number of rapid flu cases reported to our department and broken down by influenza sub-typing compared to a 4-year historical average (the red line). 722 total positive rapid flu cases have been reported for the 2011-12 flu season. No cases of influenza have been reported for week 38.



**Figure 2** displays the weekly percentage of Influenza-Like Illness (ILI) as identified by the Essence Syndromic Surveillance System. The blue line shows the percentage of ILI Emergency Department visits in Winnebago County from our two participating hospitals and the red line shows the regional ILI percentage for counties participating in Essence. This graph displays the most current Essence data, which is through CDC Week 39. ILI for CDC Week 39 for Winnebago County is **1.21%**, compared with regional ILI at **.72%**



**Figure 3** is the representation of visits from our sentinel sites not participating in Essence for ILI. ILI activity among the three sites for CDC Week 38 was: **.41%**



**Figure 4** compares the current number of pneumonia hospital admissions (red line) against the 4-year historical average (the green line). For CDC Week 38, we have 23 total hospital admittances reported. Note that all data are preliminary and numbers for weeks 36, 37, and 38 are still arriving.

**The best way to prevent seasonal flu is to get vaccinated but good health habits can help stop the spread of germs and prevent respiratory illnesses.**

**1. Avoid close contact with people who are ill. When you are sick, remember to keep your distance to prevent others from becoming ill.**

**2. Stay home when you are ill. You will prevent others from becoming ill.**

**3. Cover your mouth and nose with a tissue when coughing or sneezing. It may prevent those around you from getting sick.**

**4. Wash your hands often will help protect you from germs.**

**If soap and water are not available, use an alcohol-based hand sanitizer.**

**5. Avoid touching your eyes, nose or mouth. Germs are often spread when a person touches something that is contaminated with germs and then touches his or her eyes, nose, or mouth.**



**Questions/  
Comments?**

Health Promotion and  
Protection  
Winnebago County  
Health Department  
PO Box 4009  
401 Division Street



**Public Health**  
Prevent. Promote. Protect.